

NORMA

Steve Blackman and Mario Barbaglia

LED and halogen wall lamps with widespread light. Tube diffuser in sandblasted Pyrex or in opal metacrylate (LED), mounted on a glossy polished aluminium structure.



25 HALO

LAMPING

Source	R7s (114mm)
Total power	250W
Emission	diffused
Switching	dimnable
Tension	230V
Ip class	40
Materials	glass + aluminium
Notes	horizontal mounting only, GLASS diffuser

Codes

NOR HLW 31

Structure/Diffuser

polished/opal white




PACKAGE

Package 01

37x36x14 cm / Gross weight: 2.5 Kg

Certificazioni

CE ENEC IP40



25 LED

LAMPING

Source	LED board
Total power	20W
Emission	diffused
Tension	110/230V
Color temperature	3000K
Luminous flux	1800lm (luminous output)
Typ cri	83
Energy class	A+
Ip class	40
Materials	PMMA + aluminium
Notes	horizontal and vertical mounting

Codes

NOR LLW 35

Structure/Diffuser




polished/opal white

PACKAGE

Package 01

37x36x14 cm / Gross weight: 2.5 Kg

Certificazioni



65 LED

LAMPING

Source	LED board
Total power	20W
Emission	diffused
Switching	dimnable, DALI push
Tension	230V
Color temperature	3000K
Luminous flux	2200lm (luminous output)
Typ cri	83
Energy class	A+
Ip class	40
Materials	PMMA + aluminium
Notes	horizontal and vertical mounting

Codes

NOR LLW 32

Structure/Diffuser




PMMA/chrome/opal white

PACKAGE

Package 01 35x75x15 cm / Gross weight: 4 Kg

Certificazioni

CE ENEC IP40



95 LED

LAMPING

Source	LED board
Total power	35W
Emission	diffused
Switching	dimnable, DALI push
Tension	230V
Color temperature	3000K
Luminous flux	3300lm (luminous output)
Typ cri	83
Energy class	A+
Ip class	40
Materials	PMMA + aluminium
Notes	horizontal and vertical mounting

Codes

NOR LLW 33

Structure/Diffuser

PMMA/chrome/opal white

PACKAGE

Package 01 35x110x15 cm / Gross weight: 6 Kg

Certificazioni

